

关注品质 诚信服务

Focus on quality, Honest service.

武汉(Office Tel):027-85575758

地址(武汉):湖北省武汉市江岸区越秀星汇君泊B2-2014

Office Address(Wuhan): Room 2014, floor 20, B2, Yuexiu Xinghui Junbo,

Tazihu, Jiangan District, Wuhan City, Hubei Province, China

工厂电话(FactoryTel.): 0086-716-3080678

传真(Fax.): 0086-716-3642908 地址: 湖北省监利县毛市镇上关庙村

Factory Address: Shangguanmiao Village, Maoshi Town, Jianli

County, Jingzhou City, Hubei Province, China.




湖北银康医疗设备有限公司

Hubei Yinkang Medical Equipment CO.,Ltd.

Welcome to Yinkang Medical

欢迎光临银康医疗



www.hbyinkang.com



Ten years 十年

> Excellent team 优秀的团队

More than 80 countries 八十多个国家

More than 800 partners 八百多个合作伙伴

More recognition 更多的认可

Witness our win-win situation 见证我们的双赢

湖北银康医疗(Yome

公司简介 Company Profile

湖北银康医疗设备有限公司是生产医疗病床及其他医疗设备的专业厂商,公司坐落于风景优美的古城---荆州监利。监 利是长江中游的港口城市,距离武汉港、武汉天河机场仅需2个小时,交通十分便利。

公司集生产、销售、服务为一体,提供最完善的医疗解决方案。公司拥有强大的研发、制造能力、先进的生产设备、 全套的精密检测线,专业的技术人员和健全的标准化管理制度。我们主要生产各类医用病床、电动床、手术床、各类医 用椅、不锈钢治疗车、医用器械台、柜、药品柜及相配套的等几十个种类,数百种产品。我们产品的生产严格执行《中 华人民共和国医疗产品注册标准》,产品质量符合ISO13485质量管理体系认证和欧盟CE认证。产品畅销全国各地,远 销世界。可靠的品质和星级的服务,深受国内外顾客的赞誉和好评。

Hubei Yinkang Medical Equipment Co., Ltd. is specialized in hospital beds and other hospital furniture manufacturer. Our company is located in the beautiful ancient city-----Jianli county, Jingzhou city. Jianli City is a port city in the middle of Yangtze River with convenient transportation access, only 2 hours away from Wuhan Port and Wuhan Tianhe Airport.

Our factory is combined with manufacture, sales, service, and support of the most innovative hospital furniture solutions. We own a strong R&D manufacturing capabilities, advanced production equipment, a full set of precision testing lines, professional technicist and improved management system. We mainly produce electric and manual hospital beds, operation tables, a series of medical chairs, stainless steel medical trolleys, medical instrument table, cabinet, medicine cabinet etc., with dozens of categories and more than one hundred series of goods. Our production strictly enforce the law of the People's Republic of China on medical product registration standards. It is in accordance with ISO13485 and CE approved. Our products are sold out to the country and also exported to the world. Reliable quality and good service get us favorable comments by domestic and foreign customers.


















CONTENT

YKA系列病床

YKA Series of bed	01-10
YKB系列病床 YKB Series of bed	11-34
YKB系列病床(骨、婴儿、诊查 YKB bed(orthopaedic、baby、diagnos) is) 35-44

担架系列	
Stretcher series	45-48

ABS医用柜		
ABS medical (cabinet.	trolley)	49-52

YK系列金属加工用具	
YK series metal processing equipment	53-66

手术床、病人推车	
Operating table. Patient trolley	67-8














"Customization"

Customize more practical products according to your needs.

Electric beds are usually composed of head & foot board (optional), bed frame (optional), bed surface(optional), guardrail (optional), motor (optional), Casters (optional) and other major components. Add powerful electric motors, the structure is more complicated, and it brings more functional possibilities. Every customer can customize products to their needs.



Electric Chair Hospital Bed



Electric Turn-0ver Hospital Bed

"Service"



"Possibilities"

Complex structure brings more functional possibilities.



Five Functions Hospital Bed



Three Functions Hospital Bed









www.hbyinkang.cor























Bule(popular color)



Gray














Electric Chair Hospital Bed






Electric Hospital Bed

- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform with multi-board
- ·Control panel built-in railing
- ·Central locking 5"castors





- ·Collapsed type aluminum alloy 5-stuff railing
- ·Perforated powder coated steel bed platform
- ·Central locking 5"castors
- ·Chair position

·Central locking 5"castors



















- ·Tuck away ABS railing
- ·ABS bed platform
- ·Powerful actuator system.
- ·Central locking 5"castors






Electric Hospital Bed







- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform
- ·Control panel built-in railing
- ·Central locking 5"castors















Electric Hospital Bed

- ·Detachable ABS head & foot board
- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform with soft connection
- ·Powerful actuator system.
- ·Central locking 5"castors





- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Powerful actuator system.
- ·Central locking 5"castors




Electric with Manual Hospital Bed



·Detachable ABS head & foot board

- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform
- with soft connection
- ·Powerful actuator system.
- ·Central locking 5"castors
- ·Electric with two function adjustment by crank





·Collapsed type aluminum alloy 6-stuff railing

·ABS bed platform

·Central locking 5"castors




















"Simple"

Crank bed structure is relatively simple.

"Practical"

Simple and practical medical products.





Crank bed is a relatively simple hospital bed. Its structure is simple, but the workmanship.

Not simple. it is usually composed of head & foot board (optional), bed frame (optional), bed surface(optional), guardrail (optional), crank system(optional)Casters (optional) and other major components.

Crank system is the simplest structure, but can meet the basic needs of patient. It can also be a complex structure to deal with changes in various special situations.



Four Cank Hospital Bed



Three Cank Hospital Bed



Two Cank Hospital Bed



One Cank Hospital Bed



Flat Hospital Bed










Four Crank Five Function Manual Bed





- ·Detachable ABS head & foot board
- ·Tuck away 2-piece big ABS railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake





·Tuck away 4-piece ABS railing

·Central locking 5"castors

·Perforated powder coated steel bed platform







- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake



Three Crank Hospital Bed





Three Crank Hospital Bed

- ·Detachable ABS head & foot board
- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform with soft connection





·Oxygen bottle holder

Three Crank Hospital Bed





















Wood
















Three Crank Hospital Bed

- ·Detachable painted wood head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform ·Central locking 5"castors








www.hbyinkang.cor

·Noiseless 5"castors with brake



Three Crank Hospital Bed





- ·Tuck away ABS railing
- ·Perforated powder coated steel bed platform
- ·Central locking 5"castors









- ·Tuck away 2-piece big ABS railing
- ·Perforated powder coated steel bed platform with soft connection
- ·Central locking 5"castors



Three Crank Hospital Bed



- ·Detachable stainless steel head & foot boa
- ·Collapsed type aluminum alloy 5-stuff railin
- ·Perforated powder coated steel bed platfor
- ·Noiseless 5"castors with brake



















Two Crank Hospital Bed(HOT-SELLING)









- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors & 4 feet

·Noiseless 5"castors with brake



- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake











Two Crank Hospital Bed








Two Crank Hospital Bed







- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake




·Noiseless 5"castors with brake





- ·Detachable stainless steel head & foot board
- ·Collapsed type stainless steel 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake





- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 5-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Central locking 5"castors











www.hbyinkang.com





·Perforated powder coated steel bed platform

·Central locking 5"castors














·Perforated powder coated steel bed platform

·Noiseless 5"castors with brake





- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Central locking 5"castors







- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake






steel bed frame

·Noiseless 5"castors with brake






- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake

















- ·Stainless steel head & foot board
- ·Insert stainless steel guardrail
- ·Perforated powder coated steel bed platform


































- ·Powder coated steel head & foot board
- ·Perforated powder coated steel bed platform
















Orthopaedic Traction Bed

- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with flexible dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Aluminum alloy portal frame and direction frame



Orthopaedic Traction Bed



- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Stainless steel portal frame and direction frame



Orthopaedic Traction Bed

- ·Collapsed type aluminum alloy 6-stuff railing
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Stainless steel head & foot board & portal frame & direction frame





- ·Detachable aluminum alloy head & foot board
- ·Collapsed type aluminum alloy 6-stuff railing
- ·Painted wooden batten bed platform
- ·Noiseless 5"castors with brake
- ·Aluminum alloy portal frame and direction frame





Orthopaedic Traction Bed

- ·Detachable ABS head & foot board
- ·Collapsed type aluminum alloy 4-stuff railing with dining table
- ·Perforated powder coated steel bed platform
- ·Noiseless 5"castors with brake
- ·Stainless steel double arm lifting pole






Orthopaedic Traction Bed

- ·Detachable ABS head & foot board
- ·Perforated powder coated steel bed platform
- ·Stainless steel double arm lifting pole











- Instead of traditional mechanical buttons, adopt touch keyboard, which is more durable and sensitive.
- The bed body can be multi-angle adjustment by switch, easy for mother and baby to communicate and feed.
- 3. Hand rail is easy to operate, multi-angle 360° adjustment. It's could be placed flat, or to angle 90°, can be used as a mosquito net support.
- Humanity design of Chassis, can be place diaper and other sundry.
- 5. 4pcs swivel castor, 2pcs with brake, 2pcs without.
- 6. Height adjustable by hydraulic system.



is a kind of baby cart. With its modern design, it looks lovely.

PECIFICATION: Baby basin 800 x 420 mm Hi-Low 855-1045mm Tilt angle 0-15° Hand rail angle 0-90° astor diameter 100mm Max weight scale 20kgs Environmental conditions: -10°c-40°c





Main material

Steel structure, Plastic parts adopt high quality ABS&PP

Aluminum alloy side rail, ABS head&foot board; Spray iron bed board

Overall size 1880mm×900mm××1210mm

Bed board dimension 1770mm×720mm

Height from ground to bed board 585mm

Castor

Diameter 125mm, each four castors with brake

Net Weight 101KGS

Load capacity 200KGS

Back-rest rising

Tilt angle 0-75°

Foot-rest rising

Tilt angle 0-40°

Side rail With three gears adjustable

Dimension:1770×570mm

First gear(Height from side rail to bed board) 80mm

Second gear(Height from side rail to bed board) 310mm

Third gear(Height from side rail to bed board) 500mm

Intended use For child care











Single Crank Children Bed

·Powder coated steel head & foot boards with laminated panels.

·Full length powder coated side rail, drop type

·Covered castors dia75mm with brake

Dimension: 1800*800*580-1100mm

·With mattress (optional)

·With backrest lifting

·Noiseless 4"castors with brake



Baby Crib

Baby Crib





Size:1600X 700 X 550mm





Single Crank Children Bed

·Powder coated steel head & foot boards with laminated panels

·Full length powder coated side rail, drop type.

·Covered castors dia75mm with brake.

·Dimension:1800*800*580-1100mm.

·With mattress.

·With backrest lifting






Size: 875*525*650-900mm



Size: 1600*640*1040mm





Detachable aluminum alloy head & foot board Collapsed type aluminum alloy 4-stuff railing Perforated powder coated steel bed platform

·Noiseless 5"castors with brake








Baby Crib

Size:1100*640*1040mm












www.hbyinkang.coi












Electric Exam Table







Technique Data:

1. One electric motor for table Hi-Low function

2. Height adjustable: 47cm - 92cm

3. Angle of headrest: -20°to +75°

4. Table length and width: 195cm x 66cm

5. Max loading weight: 225KGS

6. Certificate: ISO13485/CE /FDA/93 42 EEC

7. Wheels: 75mm castors for safety and mobility

8. Packing size: 190cm x 72cm x 54cm








Exam Table(Powder Coated Steel)

Size: 1900*600*680mm







1. Two electric motors for table Hi-Low function

2. Height adjustable: 64.5cm - 106cm

3. Angle of backrest: 0°to +80°

4. Angle of seat rest: 0°to +20°

5. Table length and width: 185cm x 60cm

6. Max loading weight: 225KGS

7. Certificate: ISO13485/CE /FDA/93 42 EEC

8. Wheels: 75mm castors for safety and mobility

9. Packing size: 149cm x 74cm x 69cm



Size: 1900*600*680mm

Size: 1870*600*680mm










Exam Table(Stainless Steel)

Size: 1900*600*680mm














Foldable Stretcher

Full size(L*W*H): 208*550*13cm Folded size(L*W*H): 104*17*9cm





Spine Board Stretcher

Full size(L*W*H): 185*47*6.5cm



Folded size(L*W*H): 18*51*90cm



Foldable Stretcher

Full size(L*W*H): 220*55*15cm Folded size(L*W*H): 95*20*9cm



Stair Stretcher

Folded size(L*W*H): 18*51*90cm



Scoop Stretcher

Full size(L*W*H): 214*42*7cm Folded size(L*W*H): 167*42*7cm



Full size(L*W*H): 69*51*90cm Folded size(L*W*H): 18*51*90cm









Load Bearing: 159kg

Product Size(L*W*H):1900*550*500mm

Max. angle of the back: 70°

N.W.: 25.5KG



Max. angle of the back: 70°

N.W.: 29KG







Product Size(L*W*H)(high position):

1900*550*920mm

Product Size(L*W*H)(low position):

1900*550*260mm



Product Size(L*W*H)(high position): 1900*550*920mm

Product Size(L*W*H)(low position): 1900*550*250mm



Product Size(L*W*H)(high position):

1900*550*920mm

Product Size(L*W*H)(low position):

1900*550*260mm



Stretcher Trolley for Ambulance

Load Bearing: 159kg

Product Size(L*W*H)(high position):1900*550*880mm

Product Size(L*W*H)(low position):1900*550*540mm

Max. angle of the back: 70°

N.W.: 35KG



Load Bearing: 159kg

Product Size(L*W*H):1900*550*860mm

Product Size(L*W*H):1900*550*250mm

Max. angle of the back: 85°

N.W.: 45KG





Load Bearing: 159kg

Product Size(L*W*H)(high position):1900*550*880mm

Product Size(L*W*H)(low position):1900*550*540mm

Max. angle of the back: 70°

N.W.: 35KG











YKS013 Anesthesia Trolley

YKS014 Anesthesia Trolley

Size:750×475×920mm

YKH012-1 Wooden Cabinet

Size:520×430×770mm



YKH010 ABS Bedside Cabinet Size:480×480×760mm



YKH011 ABS Bedside Cabinet Size:500×500×760mm YKH012 Wooden Cabinet

Size:520×430×770mm

YKS015 Anesthesia Trolley

Size 750×475×920mm

YKS016 Anesthesia Trolley Size:750×475×920mm






YKS031 Treatment Trolley Size:630×470×920mm

YKS030 Treatment Trolley Size:700×480×920mm









YKS032 Treatment Trolley Size:539×366×830mm

YKS021 ABS Medical Trolley Size:539 × 366 × 950mm

YKS025 Disease Record

YKS029 Treatment Trolley Size:700×480×950mm

YKS033 Treatment Trolley Size:673×480×920mm





YKK005 Instrument Trolley Size:670×450×900mm



YKK009 Emergency Trolley Size:700×400×850mm





YKK007 Instrument Trolley

Size:670×450×900mm

YKK011 Emergency Trolley

YKK015 Emergency Trolley

Size:700×400×850mm

Size:700×400×850mm





YKK008 Instrument Trolley

Size:670×460×900mm















YKK019 Infusion Treatment Trolley Size:670×450×1500mm







YKK022 Mayo Trolley Size:600×420×1030mm







YKK012 Emergency Trolley Size:600×400×850mm





YKK021 Mayo Trolley

Size:450×350×1050mm



Size:450×450×860mm





YKK014 Anaesthetic Trolley Size:600×400×850mm

YKK002 Instrument Trolley

YKK006 Instrument Trolley

Size:670×450×900mm

Size:670×450×900mm






YKK029 Dressing Trolley Size:900×450×1050mm

Size:900×450×1050mm

Size:670×550×890mm









YKL016 Doctor Chair Size:460×660-880mm



YKL020 Nurse Chair



YKL024 Doctor Chair Size:410×500-870mm



YKL028 Doctor Chair Size:410×500-870mm



YKL017 Nurse Chair Size:400×500-660mm



YKL021 Nurse Chair Size:400×500-660mm



YKL025 Doctor Chair Size:400×500-660mm



YKL029 Doctor Chair Size:400×500-660mm



YKL018 Nurse Chair Size:450×540-750mm



YKL019 Nurse Chair Size:400×500-660mm





YKL026 Doctor Chair Size:380×280×475mm



YKL027 Doctor Chair Size:380×280×475mm



YKL030 Doctor Chair Size:380×280×475mm



YKL031 Doctor Chair Size:380×280×475mm





www.hbyinkang.com



Size:800*410*730-1130mm



YKL035 Overbed Table Size:800*410*730-1130mm



YKL038 Wheelchair Size:670*1050*510/900



Size:800*410*730-1130mm



YKL036 Overbed Table Size:800*410*730-1130mm



YKL039 Commode Chair Size:560*66/470-920mm



Size:800*410*730-1130mm





YKL040 Commode Chair Size:710*63/460-1130mm



YKL042 Treat-waiting Chair



YKL043 Treat-waiting Chair Size:1800×740×800mm



YKL045 Treat-waiting Chair Size:1800×710×800mm



Multi-purpose Meeting Chair



Multi-purpose Meeting Chair



YKL044 Treat-waiting Chair Size:1800×740×800mm



YKL046 Treat-waiting Chair Size:1800×710×800mm



Multi-purpose Meeting Chair



Treat-waiting Chair










YKL041 Treat-waiting Chair

Size:1800×740×800mm







Medical Square Tray(S.S.)

Size(cm): 23×17×2.8 26×20×2.9 31×24×3.1 40×30×3.3 45×33×3.4



Bed Pan(S.S.)

Size: 1.2L



Bed Pan(S.S.) Size: 36×29×9cm



Cream Cans(S.S.) Size: 12cm/14cm/16cm



Hickey Cabinet

Material: stainless steel or powder coated steel

Size: 900*400*1750mm



Medical Cabinet

Material: stainless steel or powder coated steel

Size: 900*400*1750mm



Sterilized Bottles(S.S.)

Size: Ф50×53mm

Ф50×83mm

Ф50×93mm

Ф50×103mm



Measuring Cup(S.S.)

Size: 500ml

1000ml

50×40×2.8cm

60×40×2.8cm



Medical Tray with Lid(S.S.)

Size: 30×20×2.8cm

Medical Tray(S.S.)

35×25×2.8cm 40×30×2.8cm

45×30×2.8cm

45×35×2.8cm

50×35×2.8cm

Size: 8", 9", 12"



Material: stainless steel or powder coated steel

Size: 1800*500/300*1750mm



Hickey Cabinet

Material: Stainless steel or powder coated steel Size:900*400*1750mm





Medical Cabinet

Material: Stainless steel or powder coated steel

Size:900*400*1750mm



Gremfree Cabinet

Material: Stainless steel or powder coated steel Size:900*400*1750mm



Deep Kidney Dish(S.S.)

Size: 225*125*40mm 210*110*35mm 200*105*30mm



Shallow Kidney Dish(S.S.)

Size: 204*130*25mm 190*116*25mm 178*104*25mm



Treatment Tray(S.S.)

Size: 25×16×5cm

30×20×5cm 31×24×3.1cm

40×30×3.3cm

Size: (Ф18mm Hole) 30 holes; 40 holes; 60 holes Size: (Ф18mm Hole)

30 holes; 40 holes; 60 holes

Test Tube Holder(S.S.)







www.hbyinkang.cor





Six-gateway Cabinet

Material: Stainless steel or powder coated steel Size:900*400*1750mm





Four-gateway Cabinet Material: Powder coated steel

Size:900*450*2100mm





Eighteenth-gateway Shoes Cabinet

Material: Powder coated steel Size:900*450*1750mm





Filling Cabinet

Material: Powder coated steel Size:850*400*1850mm





Filling Cabinet Material: Powder coated steel Size:850*400*1850mm





Filling Cabinet

Material: Powder coated steel Size:850*400*1850mm



Single-sided Medicine Shelf

Material: Powder coated steel Size:800*460*2000mm



Two-sided Medicine Shelf

Size:800*910*2000mm



Single-sided Medicine Shelf

Material: Powder coated steel Material: Powder coated steel Size:800*910*2000mm



Two-sided Medicine Shelf

Material: Powder coated steel Size:1200*460*2040mm



Material: Powder coated steel Size:800*800*2000mm



Adjustable Component Medicine Shelf

Material: Powder coated steel Size:1030*500*2000mm



Medicine Shelf Material: Powder coated steel

Size:1000*500/300*2000mm



Stainless Steel Medicine Shelf

Material: Stainless steel Size:1200*450*2000mm



Medicine Shelf

Material: Powder coated steel Size:1200*450*2000mm









Rotary Medicine Shelf

Material: Powder coated steel Size:1200*450*2000mm



Stainless Steel Work Table

Material: Stainless steel Size:1800*700*850mm



Packaged Table

Material: Stainless steel Size:2000*480*2000mm



Stainless Steel Work Table

Material: Stainless steel Size:1800*700*850mm



Stainless Steel Work Table

Material: Stainless steel Size:1800*800/300*1600mm



Stainless Steel Work Shelf

Material: Stainless steel Size:1500*450*2000mm



Stainless Steel Work Shelf

Material: Stainless steel Size:1500*450*2000mm



Work Shelf

Material: Powder coated steel Size:2000*480*2000mm



Chinese Medicine Operation Desk

Material: Stainless steel Size:1600*600*850mm





Chinese Medicine Operation Desk

Material: Stainless steel Size:1600*550/300*1700/850mm



Chinese Medicine Operation Desk

Material: Stainless steel Size:1600*550*2000mm









Ordinary Parturition Bed

·Main Technical Parameters Back section raised from the horizontal: ≥55° Seat section raised from the horizontal: ≥20° Leg section lowered from the horizontal: ≥85° ·Size: 1800*500*800mm



Ordinary Parturition Bed

 Main Technical Parameters Back section raised from the horizontal: ≥55°

Seat section raised from the horizontal: ≥20°

Leg section lowered from the horizontal: ≥85°

·Size: 1900*600*800mm





Ordinary Parturition Bed

·Main Technical Parameters Back section raised from the

horizontal: ≥55°

Leg section lowered from the


horizontal: ≥85°

·Size: 1800*500*800mm



Ordinary Parturition Bed

Main Technical Parameters Back section raised from the horizontal: ≥55° Leg section lowered from the horizontal: ≥85°





- 1.Stand for anaesthetic and for hanging intravenous drip bottle 1 set;
- 2. Shoulder rest and mattress 2 set;
- 3. Arm rest and mattress 2 set;
- 4. Handle 2 set;
- 5. Leg support, foot board and mattress 2 set;
- 6. Mattress on the table top 1 set;
- 7. The contaminative basin can prevent the amniotic fluid leaks, it is easy to assemble and disassemble.



This product is applicable to antenatal care, maternal surgical childbirth, dystocia and obstetrics and gynecology and orther evacuation operation.





Accessories:

- 1, Electric operation bed 1 set
- 2. Shoulder support 2 set;
- 3. Anaesthetic Screen 1 set:
- 4. Handle 2 set;
- 5, Knee crutch 2 set;
- 6. Arm rest 2 set;
- 7, Cushion 1 set;
- 8. Contaminative basin 1 set.









Accessories:

- 1, Main bed 1 set;
- 2. Head section 1 set;
- 3. Body support 2 set;
- 4. Shoulder support 2 set;
- 5. Anaesthetic Screen 1 set:
- 6. Knee crutch 2 set:
- 7. Arm rest 2 set;
- 8, Cushion 1 set.



The JHDS-99A electric operating table is used for the operation of various parts of the human body in the operating room of the hospital. The table can be moved back and forth, and all of them are made of high-strength composite plates. X-ray diagnosis can be conducted. The leg plate can be turned, spread out and disassembled, and is easily adjusted. It is very convenient for urology surgery. The operating table adopts 24V DC voltage, which is safe and reliable, and can be used with a C-arm.

Accessories:

- 1. Anaesthetic Screen 1 set:
- 2. Shoulder Rest 2 set:
- 3. Arm support2 set;
- 4. Body Support, Large 1 set;
- 5. Body Support, Small 1 set;
- 6, Knee Crutch 2 set:
- 7. Cushion 1 set;
- 8, Body Restraint Strap 1 set(Optional Components).

This table are compactly designed and sturdily constructed, and may be raised or lowered hydraulically by means of an oil pump. They are suitable for surgical procedures of the head, neck, thorax, abdomen, perineum and extremities as well as for gynaecological, obstetrical, urological and oto-rhino-laryngological operations. Various positions can be quickly and safely adjusted.


The controlling devices, hand wheels and crank handles are mounted at the head-end of the table. All positions of the table are controlled entirely from the head-end. The table is double dimensions. Chassis inside & outside cover are stainless steel.



Accessories:

- 1, Anaesthetic Screen 1 set;
- 2, Shoulder Rest 2 set;
- 3. Arm support2 set;
- 4. Body Support, Large 1 set;
- 5, Body Support, Small 1 set;
- 6. Knee Crutch 2 set:
- 7, Cushion 1 set;







Accessories:

- 1. Anaesthetic Screen 1 set:
- 2. Shoulder Rest 2 set:
- 3. Arm support2 set;
- 4. Body Support, Large 1 set;
- 5, Body Support, Small 1 set;
- 6. Knee Crutch 2 set;
- 7. Cushion 1 set:
- 8, Body Restraint Strap 1 set(Optional Components).

This table are compactly designed and sturdily constructed, and may be raised or lowered hydraulically by means of an oil pump. They are suitable for surgical procedures of the head, neck, thorax, abdomen, perineum and extremities as well as for gynaecological, obstetrical, urological and oto-rhino-laryngological operations. Various positions can be quickly and safely adjusted.

The controlling devices, hand wheels and crank handles are mounted at the head-end of the table. All positions of the table are controlled entirely from the head-end. The table is double dimensions. Chassis inside & outside cover are stainless steel.









Stainless Steel Patient Trolley

- ·Material: stainless steel
- Stretcher and trolley can be separated
- Size:1960*600*750mm







- ·Material: stainless steel
- Back rest lifting by gas spring
- Size:1960*600*750mm





- ·Back rest lifting by gas spring
- ·Size:1960*700*620-800mm





Stainless Steel Patient Trolley

- Material: stainless steel
- ·Stretcher and trolley can be separated
- Size:1960*600*750mm





Three-crank:back-rest lifting;leg-rest lifting;

height adjustment

Stainless steel frame,

fifth-aluminium alloy guardrail

•5 inch silent caster, with brake

Accessories: I.V.pole, oxygen cylinder

holder, debris basket, mattress

+Size:1930*750*620-880mm





1 A transfer stretcher with double hydraulic system .

Functions operated by treading the foot pedals

2 Steel framework, Bathing with environmental PVC cover

and PE Foam

③ Dimension :

Overall:2045*770mm(L*W)

Height adjustment(Bed board to ground):970-745mm

Trendelenburg&Rev.Trendelenburg angle:0-13°

- 4 Four pieces detachable protective railing
- (5) Removing one of the long side rail, the bathing cloth able to be extended flat,

easy for transfer patient to bed









1) A type of manual transfer stretcher. Single crank

or height adjustment. Turn by clockwise,

stretcher will be up; Turn by anti-clockwise, stretcher will be down.

2) Bright arrow symbols direct the users how to operate clearly

3 Central-lock castors, diameter 150mm. Matched with

direction castor under the chassis.

nelp users easy control the stretcher direction

Dimension :

Overall:2050*710mm(L*W)

Height adjustment(Bed board to ground): 875-570mm

Size of bed board:1900*610mm(L*W)

Back-rest lifting angle: 0~60°±5°

5)4pcs of European style PP protective

ailings are controlled lifting and down

hrough gas spring; PP bed board is blew


molding by one-shot plastic forming

6 Net Weight: 84KGS

7) Standard accessories: Mattress, I.V. pole







Turn by clockwise, stretcher will be up; Turn by anti-clockwise, stretcher will be down.

2) Bright arrow symbols direct the user how to operate clearly

3 Central-lock castors, diameter 150mm. Matched with direction

astor under the chassis, help user easy control the stretcher direction

Dimension:

Overall dimension:2050*710mm(L*W)

Height adjustment(Bed board to ground): 875-570mm

Size of bed board:1900*610mm(L*W)

Back-rest lifting angle:0~60°±5°

5 European style PP protective railings

re controlled lifting

and down through gas spring;

PP bed board is blew molding

by one-shot plastic forming

Net Weight: 82kg

7) Standard accessories: Mattress, I.V. pole



Manual Transfer Stretcher



1 A transfer stretcher with double hydraulic system

Functions operated by treading the foot pedals

2 Bright arrow symbols direct the user how to operate clearly

③ Central-lock castors, diameter 150mm. Matched with direction castor under the chassis

help user easy control the stretcher direction

4 Dimension:

Overall dimension: 1900*740mm(L*W)

Height adjustment(Bed board to ground): 830-595mm

Size of bed board: 1900*610mm(L*W)

Back-rest lifting angle: 0-55°±5°

Trendelenburg&Rev. Trendelenburg angle: 0-13°

5 European style PP protective railings are

controlled lifting and down through gas spring;

PP bed board is blew molding

by one-shot plastic forming

6 Net Weight: 82kg

To Standard accessories: Mattress, I.V. pole



1 A type of manual transfer stretcher. Single crank for height adjustment

Turn by clockwise, stretcher will be up; Turn by anti-clockwise, stretcher will be down

② Bright arrow symbols direct the user how to operate clearly

③ Central-lock castors, diameter 150mm. Matched with direction castor under the chassis

help user easy control the stretcher direction

4 Rotate the upper crank handle, patient on the

mattress can be moved parallelly to

another bed or flat table

(5) Dimension:

Overall :2310*635mm(L*W)

Height adjustment(Bed board

to ground): 850-590mm

Size of mattress:1880*555mm(L*W)

Horizontal move range: 400mm

6 Rotary rollover protective railing, insulating bed board

7 Net Weight: 92kg

8 Standard accessory: I.V. pole













Hydraulic Transfer Stretcher

① A transfer stretcher with double hydraulic system .5 functions available by

hydraulic and gas spring and crank system together

② A pair of push-handles at the head and foot side, help user to move the stretcher

③ Central-lock castors, diameter 150mm. Matched with direction castor under the

chassis, help user easy control the stretcher direction.

4 Dimension:

Overall dimension: 2070*750mm(L*W)

Height adjustment(Bed board to ground): 850-620mm

Size of bed board: 1930*630mm(L*W)

Back-rest lifting angle: 0-75°±5°

Leg-rest lifting angle: 0-50°±5°

Trendelenburg&Rev.Trendelenburg

angle: 0-13°

⑤ Collapsible Stainless steel protective

railing ,Radiolucent bed board for easy and safe x-rays

6 Net Weight: 105kg

To Standard accessory: I.V. pole



Hydraulic Transfer Stretcher

1 A transfer stretcher with hydraulic system; Height adjusted by step

the foot pedals; Back rest lifting angle adjusted by gas spring system Control the gas spring system

at the foot side to operate the trendelenburg&rev trendelenburg function

2 Bright arrow symbols direct the user how to operate clearly; With corner bumper to

avoid damage in case of knocking the wall

③ Central-lock castors, diameter 200mm.

Brake pedal at the head&foot side of

the stretcher, supply convenient

operation for user

4 Dimension:

Overall dimension: 2120*815mm(L*W)

Height adjustment(Bed board to ground):

900-580mm

Size of bed board: 1910*640mm(L*W)

Back-rest lifting angle: 0-70°±5°

Trendelenburg&Rev.Trendelenburg angle: 0-12°

5 Collapsible Stainless steel protective railing, Bed board for X-ray examination

6 Net Weight: 100kg

The standard accessory: I.V. pole

The standard







Connecting Transfer Stretcher For Operation Room

① It is a manual connecting Transfer Stretcher, can be used to defend cross-infection

2 Cart A inside the operation room, Cart B outside, adjusting them to the same height then push Cart B to Cart A, two carts will be connected, following the orbit part C can be pushed from one cart to another, and VICE VERSA

③ Dimension:

Cart A&B connected:3900*820mm (L*W)

Height adjustment(Bed board C to ground): 910-660mm

Size of bed board C:1900*610mm(L*W)

④ Back-rest lifting angle:0~60°±5°

(5) European style PP protective railings are controlled lifting

and down through gas spring;

PP bed board is blew molding

by one-shot plastic forming

6 Net Weight: 139kg

(7) Standard accessories:

Mattress, I.V. Pole





Connecting Transfer Stretcher For Operation Room

1 It is a manual connecting Transfer Stretcher, can be used to defend cross-infection

2 Cart A inside the operation room, Cart B outside, adjusting them to the same height, then push Cart B to Cart A, two carts will be connected, following the orbit, part C can be pushed from one cart to another, and VICE VERSA

3 Rotate the crank handle on part C, patient on the mattress can be moved parallelly to another bed or flat table

4 Dimension:

Cart A&B connected: 3900*640mm (L*W)

Height adjustment(Bed board C to ground): 915-665mm

Horizontal move range: 400mm

Size of mattress on C: 1880*555mm(L*W)

(5) Rotary rollover protective railing, insulation bed board

6 Net Weight: 151kg

Standard accessory: I.V. pole



www.hbyinkang.com







COMFORTABLE **SEAT**

进口软皮的创新设计为患者提供了舒适的治疗体验。通过精准的定 位与支撑设置,用户可为患者提供更为高质量的临床治疗。

The innovative design of imported leather provides patients with a comfortable treatment experience. With precise positioning and support settings, dentist can provide patients with higher quality clinical treatment



LUXURY LED LIGHT

豪华口腔冷光灯

高亮度/定位角度精准LED口腔灯;把手拆卸功能,方便清洗与 消毒;智能感应开关系统,可谓三组不同光,方便医生进行比色 操作。光照度可达56000Lux。

Luxury 8 blubs LED sensor operation light: the handle can take off to clean and sterilize; The sensor is on the side of the handle, which can adjust different light illuminate; 3 color temperatures to choose and high illumination up to 56000Lux



耐油硅胶手机管

不锈钢手机螺旋接头,耐油耐用

OIL RESISTANT SILICONE HANDPIECE TUBE



Taiwan ultrasonic

SCALER

台湾洁牙机

牙结石治疗及牙周病治疗和根 管扩大治疗的一体机

Page77

Taiwan ultrasonic Scaler for calculus treatment periodontal disease treatment and root canal enlargement treatment



Double water BOTTLE

双储水瓶

可避免医生在治疗操作中出现 频繁加水的情况

It is avoiding dentist from frequently adding water during treatment operations



Multi-function

FOOT SWITCH

多功能脚踏开关

可控制冲痰供水, 椅位升降 Controlled water supply, chair



More Options Please consult.



地箱-大方稳重

简洁、实用、方便

GENEROUS AND STABLE JOINT BOX Concise, practical and convenient









Multi-duty Lumbar Traction Bed

Technological Parameters: Power supply: 220/50HZ

·Power: 360w

Traction length: 0-250mm

Traction force: 10-990N (adjustable)

Total time: 99 min (adjustable)

·Continuous traction time: 9 min (adjustable)

Intermission time: 0-9 min (adjustable)

Swing angle: 60°

Angular degree: +60°~-20° (adjustable)



Traction length: 0-250mm

•Traction force: 10-990N (adjustable)

•Total time: 0-99min (adjustable) Continuous traction time: 0-9min (adjustable)

Intermission time: 0.5min (adjustable)

Swing angle: 60 degree

Angular degree: +60 °~-20 ° (adjustable)



Multi-duty Cervical And Lumbar Traction Bed

Technological parameter:

Power: 360W

Electrical source: 220/50Hz

•Traction length: 0-250mm

Traction force: 10-990N (adjustable)

Total time: 0-99min (adjustable)

Continuous traction time: 0-9min (adjustable)

Intermission time: 0-9min (adjustable)

·Swing angle: 60 degree

Angular degree: 60 degree20 degree (adjustable)





Technological Parameters:

Power supply: 220/50HZ

·Power: 360w

Traction length: 0-250mm

Traction force: 10-990N (adjustable)

Total time: 0-99 min (adjustable)

Continuous traction time: 0-9 min (adjustable)

Intermission time: 0-9 min (adjustable)



Cervical Traction Chair

 Cervical vertebra traction chair uses hand to tractile. It is suitable for all kinds of cervical vertebra, facture of neck by trauma, dislocation & luxation, concomitant incomplete paraplegia or hemiplegia. Furthermore, it also applicable to such clinic symptoms as vertebra swirl and headache, abnormity of blood pressure, and obstacle of eyesight and language as well.



Cervical Traction Chair

Technological Parameter:

•Power Supply: 220/50HZ

•Power: 120W

Traction distance: 0-300mm

Traction force: 0-200N(adjustable)

•Traction speed: 6mm/s-10mm/s



Cervical Traction Chair



Technological Parameter: Power Supply: 220/50HZ

·Power: 360W

•Traction length: 0-250mm

•Traction force: 10-990N (adjustable)

Total time: 0-99min (adjustable)

Continuous traction time: 0-9min (adjustable)

Intermission time: 0.5min (adjustable)

·Swing angle: 60 degree

Angular degree: +60 °~-20 °
















Vertical Steam Sterilizer Series

型号 Model	容积 Volume	功率 Consum ed power	灭菌室容积 Chamber volume	内筒尺寸(阿监尺寸) Basket dimension	外形尺寸 Outer dimension
DGL-35B	35L	3.5kW	ф350×400	内桶 Φ 330×320	498×498×940
DGL-50B	50L	3.5kW	φ350×525	内桶 Φ 330×460	498×498×1110
DGL-75B	75L	4.5kW	ф 400×625	内桶 Φ 380×560	570×570×1185
DGL-100B	100L	4.5kW	φ450×650	内桶 Φ 420×540	588×588×1255
DGLS-35B	35L	2.5kW	ф300×500	内桶 Φ 280×400	400×436×840
DGLS-50B	50L	3.5kW	Φ350×525	内桶 Φ 330×460	480×525×920
DGLS-75B	75L	4.5kW	Φ400×625	内桶 Φ 380×560	522×567×1020
DGLS-100B	100L	4.5kW	φ450×650	内桶 Φ 420×540	555×599×1080
DGLS-120B	120L	4.5kW	Φ450×760	内桶 Φ 420×660	555×599×1200
DGLS-150B	150L	6.0kW	Φ500×780	内桶 Φ 470×720	605×649×1210
DGL-35G	35L	3.5kW	φ350×400	内桶 Φ 330×320	498×498×940
DGL-50G	50L	3.5kW	ф350×525	内桶 Φ 330×460	498×498×1110
DGL-75G	75L	4.5kW	Φ400×625	内桶 Φ 380×560	570×570×1185
DGL-100G	100L	4.5kW	ф450×650	内桶 Φ 420×540	588×588×1255
DGL-35X	35L	3.5kW	ф350×400	内桶 Φ 330×320	698×498×940
DGL-50X	50L	3.5kW	ф350×525	内桶 Φ 330×460	698×498×1110
DGL-75X	75L	4.5kW	Φ400×625	内桶 Φ 380×560	770×570×1185
DGL-100X	100L	4.5kW	φ450×650	内桶 Φ 420×540	788×588×1255
DGL-35M	35L	3.5kW	φ350×400	内桶 Φ 330×320	698×498×940
DGL-50M	50L	3.5kW	φ350×525	内桶 Φ 330×460	698×498×1110
DGL-75M	75L	4.5kW	φ400×625	内桶 Φ 380×560	770×570×1185
DGL-100M	100L	4.5kW	Φ450×650	内桶 Φ 420×540	788×588×1255

able Top Steam Sterilizer Series

型号	容积	功率	灭菌室容积	外形尺寸
Model	Volume	Consumed power	Chamber volume	Outer dimension
DGT-8A	8L	1500W	φ170×360	445×580×400
DGT-12A	12L	1800W	ф200×385	445×580×400
DGT-18A	18L	2200W	Ф250×370	480×590×450
DGT-23A	23L	2200W	φ250×470	480×710×450
DGT-8B	8L	1500W	ф170×360	445×580×400
DGT-12B	12L	1800W	Φ200×385	445×580×400
DGT-18B	18L	2200W	Φ250×370	480×590×450
DGT-23B	23L	2200W	Φ250×470	480×710×450
DGT-30B	30L	3500W	ф 325×370	710×655×575
DGT-45B	45L	3500W	φ 325×550	890×655×575





Portable Pressure Steam Sterilizer

型号 Model	容积 Volume	功率 Consumed power	灭菌室容积 Chamber volume
DGS -280A	18L	2000W	ф 280×295
DGS -280A+	24L	2000W	ф 280×390
DGS -280B	18L	2000W	ф 280×295
DGS -280B+	24L	2000W	φ 280×390
DGS - 280 C	18L	2000W	ф 280×295
DGS -280 C+	24L	2000W	Φ 280×390

The End

not the end

a new beginning.